## Review Evaluation of Residuals of Traumatic Brain Injury (R-TBI) Disability Benefits Questionnaire \* Internal VA or DoD Use Only\*

Name of patient/Veteran:	SSN:			
	ent of Veterans Affairs (VA) for disability benefits. on this questionnaire as part of their evaluation in			
NOTE: Health care providers who may conduct traumatic brain injury (TBI) examinations include physiatrists, psychiatrists, neurosurgeons and neurologists, as well as generalist clinicians who have successfully completed the DEMO (CPEP) TBI training module. C&P TBI-certified clinicians are permitted to perform TBI residual disability examinations subject to existing VBA guidance on examiner qualification, including M21-1MR, III.iv.3.D.18.b.				
However, the diagnosis of TBI must be made by a physiatrist, psychiatrist, neurosurgeon or neurologist. A consultation to one of those specialty groups may need to be obtained in conjunction with this examination if the diagnosis is not already of record.				
NOTE: In completing each Disability Benefits Questionnaire, clinicians should indicate the presence of only those findings, signs, symptoms, or residuals deemed attributable, in whole or in part, to the conditions in the Diagnosis Section. (For example, for a Stomach Questionnaire, indicate nausea is present only if the nausea is attributable to the stomach condition. If the Veteran has another cause for nausea, such as vertigo, do not indicate nausea. If needed, the clinician should provide additional clarification in the Remarks section.)				
SECTION I  1. Diagnosis  Does the Veteran now have or has he/she ever had a traumatic brain injury (TBI) or any residuals of a TBI?  Yes No				
If yes, select the Veteran's condition (check all the select the select the veteran's condition (check all the select the select the veteran's condition (check all the select the	: Date of diagnosis:			
Other diagnosis #1: ICD code: Date of diagnosis:				
Other diagnosis #2: ICD code: Date of diagnosis:				
Other diagnosis #3: ICD code: Date of diagnosis:				
Other diagnosis #4: ICD code: Date of diagnosis:				
If there are additional diagnoses that pertain to t	he residuals of a TBI, list using above format:			

2. Medical history a. Describe the history (including onset and course) of the Veteran's TBI and residuals attributable to TBI (brief summary):				
b. Does the Veteran's treatment plan include taking continuous medication for the diagnosed condition?  Yes No If yes, list only those medications used for the diagnosed condition:				
SECTION II. Assessment of cognitive impairment and other residuals of TBI				
NOTE: For each of the following 10 facets of TBI-related cognitive impairment and subjective symptoms (facets 1-10 below), select the ONE answer that best represents the Veteran's current functional status.				
Neuropsychological testing may need to be performed in order to be able to accurately complete this section. If neuropsychological testing has been performed and accurately reflects the Veteran's current functional status, repeat testing is not required.				
1. Memory, attention, concentration, executive functions  \[ \begin{array}{c} \text{No complaints of impairment of memory, attention, concentration, or executive functions} \[ \text{No complaint of mild memory loss (such as having difficulty following a conversation, recalling recent conversations, remembering names of new acquaintances, or finding words, or often misplacing items attention, concentration, or executive functions, but without objective evidence on testing \[ \begin{array}{c} \text{Objective evidence on testing of mild impairment of memory, attention, concentration, or executive functions resulting in moderate impairment of memory, attention, concentration, or executive functions resulting in moderate functional impairment \[ \begin{array}{c} \text{Objective evidence on testing of severe impairment of memory, attention, concentration, or executive functions resulting in severe functional impairment} \[ \begin{array}{c} \text{Objective evidence on testing of severe impairment of memory, attention, concentration, or executive functions resulting in severe functional impairment} \[ \begin{array}{c} \text{Objective evidence on testing of severe impairment of memory, attention, concentration, or executive functions resulting in severe functional impairment} \]				
If the Veteran has complaints of impairment of memory, attention, concentration or executive functions describe (brief summary):				
<ul> <li>2. Judgment</li> <li>Normal</li> <li>Mildly impaired judgment. For complex or unfamiliar decisions, occasionally unable to identify, understand, and weigh the alternatives, understand the consequences of choices, and make a reasonable decision</li> <li>Moderately impaired judgment. For complex or unfamiliar decisions, usually unable to identify, understand, and weigh the alternatives, understand the consequences of choices, and make a reasonable decision, although has little difficulty with simple decisions</li> <li>Moderately severely impaired judgment. For even routine and familiar decisions, occasionally unable to identify, understand, and weigh the alternatives, understand the consequences of choices, and make a reasonable decision</li> <li>Severely impaired judgment. For even routine and familiar decisions, usually unable to identify, understand, and weigh the alternatives, understand the consequences of choices, and make a reasonable decision. For example, unable to determine appropriate clothing for current weather conditions or judge when to avoid dangerous situations or activities.</li> </ul>				
If the Veteran has impaired judgment, describe (brief summary):				
3. Social interaction  Social interaction is routinely appropriate Social interaction is occasionally inappropriate Social interaction is frequently inappropriate Social interaction is inappropriate most or all of the time				
If the Veteran's social interaction is not routinely appropriate, describe (brief summary):				

4. Orientation  Always oriented to person, time, place, and situation  Occasionally disoriented to one of the four aspects (person, time, place, situation) of orientation  Occasionally disoriented to two of the four aspects (person, time, place, situation) of orientation or often disoriented to one aspect of orientation  Often disoriented to two or more of the four aspects (person, time, place, situation) of orientation  Consistently disoriented to two or more of the four aspects (person, time, place, situation) of orientation
If the Veteran is not always oriented to person, time, place, and situation, describe (brief summary):
5. Motor activity (with intact motor and sensory system)  Motor activity normal  Motor activity is normal most of the time, but mildly slowed at times due to apraxia (inability to perform previously learned motor activities, despite normal motor function)  Motor activity is mildly decreased or with moderate slowing due to apraxia  Motor activity moderately decreased due to apraxia  Motor activity severely decreased due to apraxia
ii alo vototali liao aliy ashorilar motor ashirily, accombo (shor callimatiy).
6. Visual spatial orientation Normal Mildly impaired. Occasionally gets lost in unfamiliar surroundings, has difficulty reading maps or following directions. Is able to use assistive devices such as GPS (global positioning system) Moderately impaired. Usually gets lost in unfamiliar surroundings, has difficulty reading maps, following directions, and judging distance. Has difficulty using assistive devices such as GPS (global positioning system) Moderately severely impaired. Gets lost even in familiar surroundings, unable to use assistive devices such as GPS (global positioning system) Severely impaired. May be unable to touch or name own body parts when asked by the examiner, identify the relative position in space of two different objects, or find the way from one room to another in a familiar environment If the Veteran has impaired visual spatial orientation, describe (brief summary):
7. Subjective symptoms  No subjective symptoms subjective symptoms that do not interfere with work; instrumental activities of daily living; or work, family or other close relationships. Examples are: mild or occasional headaches, mild anxiety Three or more subjective symptoms that mildly interfere with work; instrumental activities of daily living; or work, family or other close relationships. Examples of findings that might be seen at this level of impairment are: intermittent dizziness, daily mild to moderate headaches, tinnitus, frequent insomnia hypersensitivity to sound, hypersensitivity to light  Three or more subjective symptoms that moderately interfere with work; instrumental activities of daily living; or work, family or other close relationships. Examples of findings that might be seen at this level of impairment are: marked fatigability, blurred or double vision, headaches requiring rest periods during most days
If the Veteran has subjective symptoms, describe (brief summary):
8. Neurobehavioral effects

NOTE: Examples of neurobehavioral effects of TBI include: irritability, impulsivity, unpredictability, lack of motivation, verbal aggression, physical aggression, belligerence, apathy, lack of empathy, moodiness, lack of cooperation, inflexibility, and impaired awareness of disability. Any of these effects may range from slight to severe, although verbal and physical aggression are likely to have a more serious impact on workplace interaction and social interaction than some of the other effects.

☐ No neurobehavioral effects ☐ One or more neurobehavioral effects that do not interfere with workplace interaction or social
interaction.  One or more neurobehavioral effects that occasionally interfere with workplace interaction, social interaction, or both but do not proclude them.
interaction, or both but do not preclude them  One or more neurobehavioral effects that frequently interfere with workplace interaction, social interaction, or both but do not preclude them
☐ One or more neurobehavioral effects that interfere with or preclude workplace interaction, social interaction, or both on most days or that occasionally require supervision for safety of self or others
If the Veteran has any neurobehavioral effects, describe (brief summary):
9. Communication  Able to communicate by spoken and written language (expressive communication) and to comprehend spoken and written language.  Comprehension or expression, or both, of either spoken language or written language is only occasionally impaired. Can communicate complex ideas.  Inability to communicate either by spoken language, written language, or both, more than occasionally but less than half of the time, or to comprehend spoken language, written language, or both, more than occasionally but less than half of the time. Can generally communicate complex idea ☐ Inability to communicate either by spoken language, written language, or both, at least half of the time but not all of the time, or to comprehend spoken language, written language, or both, at least half of the time but not all of the time. May rely on gestures or other alternative modes of communication. Able to communicate basic needs ☐ Complete inability to communicate either by spoken language, written language, or both, or to comprehend spoken language, written language, or both. Unable to communicate basic needs  If the Veteran is not able to communicate by or comprehend spoken or written language,
describe (brief summary):
☐ Normal ☐ Persistent altered state of consciousness, such as vegetative state, minimally responsive state, coma.
If checked, describe altered state of consciousness (brief summary):
SECTION III
1. Residuals  Does the Veteran have any subjective symptoms or any mental, physical or neurological conditions or residuals attributable to a TBI (such as migraine headaches or Meniere's disease)?  Yes No  If yes, check all that apply:
Motor dysfunction  If checked, ALSO complete specific Joint or Spine Questionnaire for the affected joint or spinal area.
☐ Sensory dysfunction  If checked, ALSO complete appropriate Cranial or Peripheral Nerve Questionnaire.
<ul> <li>Hearing loss and/or tinnitus</li> <li>If checked, ALSO complete a Hearing Loss and Tinnitus Questionnaire.</li> </ul>
Alteration of sense of smell or taste  If checked, ALSO complete a Loss of Sense of Smell and Taste Questionnaire.
☐ Seizures
If checked, ALSO complete a Seizure Disorder Questionnaire.  Gait, coordination, and balance

	if checked, ALSO complete appropriate Questionnaire for underlying cause of gait and balance
	disturbance, such as Ear Questionnaire.
	☐ Speech (including aphasia and dysarthria)
	If checked, ALSO complete appropriate Questionnaire.
	☐ Neurogenic bladder
	If checked, ALSO complete appropriate Genitourinary Questionnaire.
	☐ Neurogenic bowel
	If checked, ALSO complete appropriate Intestines Questionnaire.
	Cranial nerve dysfunction
	If checked, ALSO complete a Cranial Nerves Questionnaire.
	Skin disorders
	If checked, ALSO complete a Skin and/or Scars Questionnaire.
	☐ Endocrine dysfunction
	If checked, ALSO complete an Endocrine Conditions Questionnaire.
	☐ Erectile dysfunction
	If checked, ALSO complete Male Reproductive Conditions Questionnaire.
	Headaches, including Migraine headaches
	If checked, ALSO complete a Headache Questionnaire.
	☐ Meniere's disease
	If checked, ALSO complete an Ear Conditions Questionnaire.
	☐ Mental disorder (including emotional, behavioral, or cognitive)
	If checked, ALSO complete Mental Disorders or PTSD Questionnaire.
	Other, describe:
	If checked, ALSO complete appropriate Questionnaire.
	il checked, ALSO complete appropriate Questionnalle.
	Alexandria de la lacia de la companya de la company
	ther pertinent physical findings, scars, complications, conditions, signs and/or symptoms
	oes the Veteran have any scars (surgical or otherwise) related to any conditions or to the treatment of any
	ditions listed in the Diagnosis section above?
ן כ	′es □ No
f ve	s, are any of the scars painful and/or unstable, or is the total area of all related scars greater than 39 square cm
	quare inches)?
	☐ Yes ☐ No
	If yes, also complete a Scars Questionnaire.
	n yes, also complete a Scars Questionnaire.
_	1
	oes the Veteran have any other pertinent physical findings, complications, conditions, signs and/or symptoms?
	′es □ No
f ye	s, describe (brief summary):
3. D	iagnostic testing
	E: If diagnostic test results are in the medical record and reflect the Veteran's current TBI residuals, repeat
	ng is not required.
Cou	ng is not required.
	an accompany that a size of the size of th
<u> </u>	as neuropsychological testing been performed?
	res □ No
	s, provide date:
	Results:
o. H	ave diagnostic imaging studies or other diagnostic procedures been performed?
	′es □ No
	s, check all that apply:
	☐ Magnetic resonance imaging (MRI)
	Date: Results:
	Computed tomography (CT)
	Date: Results:
	□ EEG
	Date: Results:
	Other, describe:
	Date: Results:
	Date. Results.

<ul><li>c. Has laboratory testing been performe</li><li>☐ Yes ☐ No</li></ul>	ed?				
If yes, specify tests:	Date:	Results:			
d. Are there any other significant diagnostic test findings and/or results?  Yes No If yes, provide type of test or procedure, date and results (brief summary):					
4. Functional impact Do any of the Veteran's residual conditions attributable to a traumatic brain injury impact his or her ability to work?  Yes No If yes, describe impact of each of the Veteran's residual conditions attributable to a traumatic brain injury, providing one or more examples:					
5. Remarks, if any:					
Physician signature: Physician printed name:	9741990000	100 mm m m m m m m m m m m m m m m m m m			
Medical license #: Phy	sician address:				
Phone:	Fax:				

**NOTE**: VA may request additional medical information, including additional examinations if necessary to complete VA's review of the Veteran's application.